

Object Properties

Class:	Academic Test Scores
Description:	

No objects

Class:	Acad Test Scores
Description:	

Object:	Student ID
Type:	Character
Description:	
Select equivalent:	FSSAS.ACAD_TEST_SCORES.STUDENT_ID
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Count
Type:	Number
Description:	count on unique student ID
Select equivalent:	COUNT (DISTINCT FSSAS.ACAD_TEST_SCORES.STUDENT_ID)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Test Type Cd
Type:	Character
Description:	LOV included
Select equivalent:	FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD
Where equivalent:	
Qualification:	dimension
List of values:	TEST_008, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Test Type Desc
Type:	Character
Description:	LOV included
Select equivalent:	FSSAS.TEST_TYPE_CODES.TEST_TYPE_DESC
Where equivalent:	
Qualification:	dimension

List of values: TEST_004, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Subject Test Cd
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.ACAD_TEST_SCORES.SUBJECT_TEST_CD
 Where equivalent:
 Qualification: dimension
 List of values: SUBJE001, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Subject Test Desc
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.SUBJECT_TEST_CODES.SUBJECT_TEST_DESC
 Where equivalent:
 Qualification: dimension
 List of values: SUBJE002, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Test Date
 Type: Date
 Description:
 Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_DATE
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Test Year
 Type: Character
 Description: test year derived from test date LOV included
 Select equivalent: SUBSTR(DIGITS(YEAR(FSSAS.ACAD_TEST_SCORES.TEST_DATE)),
 7,4)
 Where equivalent:
 Qualification: dimension
 List of values: TEST_00V, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Omit Flag**
Type: Character
Description: Y if omitted
 The omit flag is used when a score when combined with other factors was not sufficient to justify admission. Typically, this is when a student does poorly on one test and better on the other (ACT vs. SAT). We then keep (not omit) the score that was used to admit the student.
Select equivalent: FSSAS.ACAD_TEST_SCORES.OMIT_FLAG
Where equivalent:
Qualification: dimension
List of values: OMIT_00C, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Score**
Type: Number
Description:
Select equivalent: MAX(FSSAS.ACAD_TEST_SCORES.TEST_SCORE)
Where equivalent:
Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
 Category = Number
 0

Object: **Test Score**
Type: Number
Description:
Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_SCORE
Where equivalent:
Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **SAT Total**
Type: Number
Description: sum of scores where test type = SAT
Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_SCORE
Where equivalent: FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD = 'SAT'
Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: **ACT Comp**
 Type: Number
 Description: sum of scores where test type = ACT COMPOSITE
 Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_SCORE
 Where equivalent: FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD = 'ACT' AND FSSAS
 .ACAD_TEST_SCORES.SUBJECT_TEST_CD = 'COMPOSITE'
 Qualification: measure
 Aggregate function: None
 List of values: SAT_T010, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **GRE Total**
 Type: Number
 Description: sum of scores where test type = GRE
 Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_SCORE
 Where equivalent: FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD = 'GRE'
 Qualification: measure
 Aggregate function: Sum
 List of values: SAT_T011, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **GMAT Total**
 Type: Number
 Description: sum of scores where test type = GMAT
 Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_SCORE
 Where equivalent: FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD = 'GMAT'
 Qualification: measure
 Aggregate function: Sum
 List of values: GRE_T012, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **TOEFL Total**
 Type: Number
 Description: sum of scores where test type = TOEFL
 Select equivalent: FSSAS.ACAD_TEST_SCORES.TEST_SCORE
 Where equivalent: FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD = 'TOEFL'
 Qualification: measure
 Aggregate function: Sum
 List of values: GMAT_013, editable, manual refresh, not exportable
 Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: **Data Source**
 Type: Character
 Description:
 Select equivalent: FSSAS.ACAD_TEST_SCORES.DATA_SOURCE
 Where equivalent:
 Qualification: dimension
 List of values: DATA_00D, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Created Date**
 Type: Date
 Description:
 Select equivalent: FSSAS.ACAD_TEST_SCORES.CREATED_DATE
 Where equivalent:
 Qualification: dimension
 List of values: CREAT00E, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updt**
 Type: Date
 Description:
 Select equivalent: FSSAS.ACAD_TEST_SCORES.LAST_UPDT
 Where equivalent:
 Qualification: dimension
 List of values: LAST_00F, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updt By**
 Type: Character
 Description:
 Select equivalent: FSSAS.ACAD_TEST_SCORES.LAST_UPDT_BY
 Where equivalent:
 Qualification: dimension
 List of values: LAST_00G, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	MCAT Writing Score
Description:	

Object: **Student ID**
 Type: Character
 Description:
 Select equivalent: FSSAS.MCAT_WRITING_SCORE.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: STUDE00M, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Test Date**
 Type: Date
 Description:
 Select equivalent: FSSAS.MCAT_WRITING_SCORE.TEST_DATE
 Where equivalent:
 Qualification: dimension
 List of values: TEST_00N, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Test Year**
 Type: Character
 Description: test year derived form test date LOV included
 Select equivalent: SUBSTR(DIGITS(YEAR(FSSAS.MCAT_WRITING_SCORE.TEST_DATE)),7,4)
 Where equivalent:
 Qualification: dimension
 List of values: TEST_00W, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Mcat Writing Score**
 Type: Character
 Description:
 Select equivalent: FSSAS.MCAT_WRITING_SCORE.MCAT_WRITING_SCORE
 Where equivalent:
 Qualification: dimension
 List of values: MCAT_00O, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Test Exempt**
 Description:

Object: **Student ID**
 Type: Character
 Description:
 Select equivalent: FSSAS.TEST_EXEMPT.STUDENT_ID

Where equivalent:
 Qualification: dimension
 List of values: STUDE00H, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Test Type Cd**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.TEST_EXEMPT.TEST_TYPE_CD
 Where equivalent:
 Qualification: dimension
 List of values: TEST_008, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subject Test Cd**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.TEST_EXEMPT.SUBJECT_TEST_CD
 Where equivalent:
 Qualification: dimension
 List of values: SUBJE001, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Exempt Date**
 Type: Date
 Description:
 Select equivalent: FSSAS.TEST_EXEMPT.EXEMPT_DATE
 Where equivalent:
 Qualification: dimension
 List of values: EXEMP00K, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Exempt Year**
 Type: Character
 Description: Exempt year derived from exempt date LOV included
 Select equivalent: SUBSTR(DIGITS(YEAR(FSSAS.TEST_EXEMPT.EXEMPT_DATE)),7,4)
 Where equivalent:
 Qualification: dimension
 List of values: TEST_00X, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Exempt Code**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.TEST_EXEMPT.EXEMPT_CODE
 Where equivalent:
 Qualification: dimension
 List of values: EXEMP00L, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Test Scores code tables**
 Description:

No objects

Class: **Valid Test Codes**
 Description:

Object: **Test Type Cd**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.VALID_TEST_CODES.TEST_TYPE_CD
 Where equivalent:
 Qualification: dimension
 List of values: TEST_008, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subject Test Cd**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.VALID_TEST_CODES.SUBJECT_TEST_CD
 Where equivalent:
 Qualification: dimension
 List of values: SUBJE001, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Test Type Codes**
 Description:

Object: **Test Type Cd**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.TEST_TYPE_CODES.TEST_TYPE_CD
 Where equivalent:
 Qualification: dimension
 List of values: TEST_008, editable, manual refresh, exportable

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Test Type Desc**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.TEST_TYPE_CODES.TEST_TYPE_DESC
 Where equivalent:
 Qualification: dimension
 List of values: TEST_004, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Subject Test Codes**
 Description:

Object: **Subject Test Cd**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.SUBJECT_TEST_CODES.SUBJECT_TEST_CD
 Where equivalent:
 Qualification: dimension
 List of values: SUBJE001, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subject Test Desc**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.SUBJECT_TEST_CODES.SUBJECT_TEST_DESC
 Where equivalent:
 Qualification: dimension
 List of values: SUBJE002, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Join List

- Join0: FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD=FSSAS.VALID_TEST_CODES.TEST_TYPE_CD and FSSAS.ACAD_TEST_SCORES.SUBJECT_TEST_CD=FSSAS.VALID_TEST_CODES.SUBJECT_TEST_CD
- Join1: FSSAS.SUBJECT_TEST_CODES.SUBJECT_TEST_CD=FSSAS.VALID_TEST_CODES.SUBJECT_TEST_CD
- Join2: FSSAS.VALID_TEST_CODES.TEST_TYPE_CD=FSSAS.TEST_TYPE_CODES.TEST_TYPE_CD

Join3: FSSAS.MCAT_WRITING_SCORE.STUDENT_ID=FSSAS.ACAD_TEST_SCORES.STUDENT_ID and FSSAS.MCAT_WRITING_SCORE.TEST_DATE=FSSAS.ACAD_TEST_SCORES.TEST_DATE

Join4: FSSAS.TEST_EXEMPT.TEST_TYPE_CD=FSSAS.ACAD_TEST_SCORES.TEST_TYPE_CD and FSSAS.TEST_EXEMPT.SUBJECT_TEST_CD=FSSAS.ACAD_TEST_SCORES.SUBJECT_TEST_CD

