

Object Properties

Class:	Service Record
Description:	

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.SERVICE_RECORD.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Headcount**
 Type: Number
 Description: count of unique student IDs
 Select equivalent: COUNT(DISTINCT FSSAS.SERVICE_RECORD.STUDENT_ID)
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Count**
 Type: Number
 Description: count of wahtever is selected
 Select equivalent: COUNT(*)
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Year**
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.SERVICE_RECORD.YEAR
 Where equivalent:
 Qualification: dimension
 List of values: YEAR009, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Term #**
 Type: Character

Description: 1, 6 or 9 - LOV included
 Select equivalent: FSSAS.SERVICE_RECORD.TERM
 Where equivalent:
 Qualification: dimension
 List of values: TERM00A, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Term
 Type: Character
 Description: Spring (1) Summer (6) or Fall (9) - LOV included
 Select equivalent: SERVICE_TERM_CODES.TERM
 Where equivalent:
 Qualification: dimension
 List of values: OBJEC02C, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Service Record ID
 Type: Number
 Description:
 Select equivalent: FSSAS.SERVICE_RECORD.SERVICE_RECORD_ID
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Date Performed
 Type: Date
 Description:
 Select equivalent: FSSAS.SERVICE_RECORD.DATE_PERFORMED
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Year Performed
 Type: Number
 Description: The year part of date performed - LOV included
 Select equivalent: YEAR(FSSAS.SERVICE_RECORD.DATE_PERFORMED)
 Where equivalent:
 Qualification: dimension
 List of values: DATE_02D, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Month Performed**
Type: Number
Description: The month part of date performed - LOV included
Select equivalent: MONTH(FSSAS.SERVICE_RECORD.DATE_PERFORMED)
Where equivalent:
Qualification: dimension
List of values: YEAR_02E, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Service Task Code**
Type: Character
Description: LOV included
Select equivalent: FSSAS.SERVICE_RECORD.SERVICE_TASK_CD
Where equivalent:
Qualification: dimension
List of values: SERVI00D, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Service Task**
Type: Character
Description: LOV included
Select equivalent: FSSAS.SERVICE_TASK_CODES.SERVICE_TASK_DESC
Where equivalent:
Qualification: dimension
List of values: OBJEC00W, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Service Task Activity Status**
Type: Character
Description:
Select equivalent: FSSAS.SERVICE_TASK_CODES.ACTIVITY_STATUS
Where equivalent:
Qualification: dimension
List of values: SERVI00X, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Agency Code**
Type: Character
Description: LOV included
Select equivalent: FSSAS.SERVICE_RECORD.AGENCY_CD
Where equivalent:
Qualification: dimension
List of values: AGENC00E, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Agency**
 Type: Character
 Description: LOV included
 Select equivalent: SERV_AGENCY_CODES.AGENCY_DESC
 Where equivalent:
 Qualification: dimension
 List of values: AGENC00O, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Agency Activity Status**
 Type: Character
 Description:
 Select equivalent: SERV_AGENCY_CODES.ACTIVITY_STATUS
 Where equivalent:
 Qualification: dimension
 List of values: ACTIV00P, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category Code**
 Type: Character
 Description: LOV included
 Select equivalent: SERV_AGENCY_CODES.CATEGORY_CD
 Where equivalent:
 Qualification: dimension
 List of values: CATEG00N, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category**
 Type: Character
 Description: LOV included
 Select equivalent: AGY_CATEG_CODES.CATEGORY_DESC
 Where equivalent:
 Qualification: dimension
 List of values: CATEG00R, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category Activity Status**
 Type: Character
 Description:
 Select equivalent: AGY_CATEG_CODES.ACTIVITY_STATUS
 Where equivalent:
 Qualification: dimension

List of values: ACTIV00S, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Hours Performed

Type: Number

Description: These are hours per task. Use Sum Hours to get hours per student.

Select equivalent: FSSAS.SERVICE_RECORD.HOURS_PERFORMED

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Sum Hours

Type: Number

Description: This is the sum of the Hours Performed. If you select Student ID and Sum Hours, you get the sum of hours for each student. If you select just Service Task, you would get the sum of the hours for each task.

Select equivalent: sum(FSSAS.SERVICE_RECORD.HOURS_PERFORMED)

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CCES Verified

Type: Character

Description:

Select equivalent: FSSAS.SERVICE_RECORD.CCES_VERIFIED

Where equivalent:

Qualification: dimension

List of values: CCES_00G, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CCES Verified By

Type: Number

Description:

Select equivalent: FSSAS.SERVICE_RECORD.CCES_VERIFIED_BY

Where equivalent:

Qualification: dimension

List of values: CCES_00H, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Verification Lock**
 Type: Character
 Description:
 Select equivalent: FSSAS.SERVICE_RECORD.VERIFICATION_LOCK
 Where equivalent:
 Qualification: dimension
 List of values: VERIF00I, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updated**
 Type: Date
 Description:
 Select equivalent: FSSAS.SERVICE_RECORD.LAST_UPDATED
 Where equivalent:
 Qualification: dimension
 List of values: LAST_00J, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updated By**
 Type: Character
 Description:
 Select equivalent: FSSAS.SERVICE_RECORD.LAST_UPDATED_BY
 Where equivalent:
 Qualification: dimension
 List of values: LAST_00K, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Volunteer Profile
Description:	

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Headcount**
 Type: Number
 Description: count of unique student IDs
 Select equivalent: COUNT(DISTINCT FSSAS.VOLUNTEER_PROFILE.STUDENT_ID)
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: no

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format: Number
 Category = Number
 0

Object: Weekly Update
 Type: Character
 Description: Y or N
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.WEEKLY_UPDATE
 Where equivalent:
 Qualification: dimension
 List of values: WEEKL010, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Curr Minor
 Type: Character
 Description:
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.CURR_MINOR
 Where equivalent:
 Qualification: dimension
 List of values: CURR_011, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Initial Contact Dt
 Type: Date
 Description:
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.INITIAL_CONTACT_DT
 Where equivalent:
 Qualification: dimension
 List of values: INITI012, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Prev Participant
 Type: Character
 Description: Y or N
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.PREV_PARTICIPANT
 Where equivalent:
 Qualification: dimension
 List of values: PREV_013, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Judicial Require

Type: **Character**
 Description: Y or N
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.JUDICIAL_REQUIRE
 Where equivalent:
 Qualification: dimension
 List of values: JUDIC014, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updated**
 Type: Date
 Description:
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.LAST_UPDATED
 Where equivalent:
 Qualification: dimension
 List of values: LAST_015, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updated By**
 Type: Character
 Description:
 Select equivalent: FSSAS.VOLUNTEER_PROFILE.LAST_UPDATED_BY
 Where equivalent:
 Qualification: dimension
 List of values: LAST_016, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Preference Rank
Description:	

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.PREFERENCE_RANK.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: STUDE017, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category Cd**
 Type: Character
 Description:
 Select equivalent: FSSAS.PREFERENCE_RANK.CATEGORY_CD
 Where equivalent:
 Qualification: dimension
 List of values: CATEG018, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: **Category**
 Type: Character
 Description: LOV included
 Select equivalent: PREF_CATEG_CODES.CATEGORY_DESC
 Where equivalent:
 Qualification: dimension
 List of values: CATEG00R, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category Activity Status**
 Type: Character
 Description:
 Select equivalent: PREF_CATEG_CODES.ACTIVITY_STATUS
 Where equivalent:
 Qualification: dimension
 List of values: ACTIV01C, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Rank**
 Type: Character
 Description:
 Select equivalent: FSSAS.PREFERENCE_RANK.RANK
 Where equivalent:
 Qualification: dimension
 List of values: RANK019, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Assistance Log
Description:	

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: STUDE01D, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Liaison Code**
 Type: Number
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.LIAISON_CD

Where equivalent:

Qualification: dimension
 List of values: LIAIS01E, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Liaison
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.LIAISON_CODES.LIAISON_DESC
 Where equivalent:
 Qualification: dimension
 List of values: LIAIS01P, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Liaison Activity Status
 Type: Character
 Description:
 Select equivalent: FSSAS.LIAISON_CODES.ACTIVITY_STATUS
 Where equivalent:
 Qualification: dimension
 List of values: ACTIV01Q, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Assistance Code
 Type: Number
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.ASSIST_CD
 Where equivalent:
 Qualification: dimension
 List of values: ASSIS01F, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Assistance
 Type: Character
 Description: LOV included
 Select equivalent: FSSAS.ASSIST_CODES.ASSIST_DESC
 Where equivalent:
 Qualification: dimension
 List of values: ASSIS01S, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Assistance Activity Status
 Type: Character

Description:
 Select equivalent: FSSAS.ASSIST_CODES.ACTIVITY_STATUS
 Where equivalent:
 Qualification: dimension
 List of values: ACTIV01T, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Date Assisted**
 Type: Date
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.DATE_ASSISTED
 Where equivalent:
 Qualification: dimension
 List of values: DATE_01G, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Year Assisted**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.YEAR_ASSISTED
 Where equivalent:
 Qualification: dimension
 List of values: YEAR_01H, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Term Assisted**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.TERM_ASSISTED
 Where equivalent:
 Qualification: dimension
 List of values: TERM_01I, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Followup Flag**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.FOLLOWUP_FLAG
 Where equivalent:
 Qualification: dimension
 List of values: FOLLO01L, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Message**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.MESSAGE
 Where equivalent:
 Qualification: dimension
 List of values: MESSA01M, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Response**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.RESPONSE
 Where equivalent:
 Qualification: dimension
 List of values: RESPO01N, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updated**
 Type: Date
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.LAST_UPDATED
 Where equivalent:
 Qualification: dimension
 List of values: LAST_01J, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Updated By**
 Type: Character
 Description:
 Select equivalent: FSSAS.ASSISTANCE_LOG.LAST_UPDATED_BY
 Where equivalent:
 Qualification: dimension
 List of values: LAST_01K, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Volunteer Web Link
Description:	

Object: **Link Dts**
 Type: Date
 Description:
 Select equivalent: FSSAS.VOLUNTEER_WEB_LINK.LINK_DTS
 Where equivalent:
 Qualification: dimension
 List of values: LINK_01U, editable, manual refresh, not exportable

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.VOLUNTEER_WEB_LINK.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: STUDE01V, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Referred From**
 Description:

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.REFERRED_FROM.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: STUDE01W, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Referred From Code**
 Type: Number
 Description:
 Select equivalent: FSSAS.REFERRED_FROM.REFERRED_FROM_CD
 Where equivalent:
 Qualification: dimension
 List of values: REFER01X, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Referred From**
 Type: Character
 Description:
 Select equivalent: FSSAS.REFERRED_FROM_CODE.REFERRED_FROM_DESC
 Where equivalent:
 Qualification: dimension
 List of values: REFER020, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Referred From Activity Status**
 Type: Character
 Description:

Select equivalent: FSSAS.REFERRED_FROM_CODE.ACTIVITY_STATUS
 Where equivalent:
 Qualification: dimension
 List of values: ACTIV021, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Referred To
Description:	

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSSAS.REFERRED_TO.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: STUDE022, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Date Referred**
 Type: Date
 Description:
 Select equivalent: FSSAS.REFERRED_TO.DATE_REFERRED
 Where equivalent:
 Qualification: dimension
 List of values: DATE_023, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Agency Code**
 Type: Number
 Description:
 Select equivalent: FSSAS.REFERRED_TO.AGENCY_CD
 Where equivalent:
 Qualification: dimension
 List of values: AGENC024, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Agency**
 Type: Character
 Description: LOV included
 Select equivalent: REF_AGENCY_CODES.AGENCY_DESC
 Where equivalent:
 Qualification: dimension
 List of values: AGENC000, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Agency Activity Status
Type: Character
Description:
Select equivalent: REF_AGENCY_CODES.ACTIVITY_STATUS
Where equivalent:
Qualification: dimension
List of values: ACTIV028, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Category Code
Type: Number
Description:
Select equivalent: REF_AGENCY_CODES.CATEGORY_CD
Where equivalent:
Qualification: dimension
List of values: CATEG026, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Category
Type: Character
Description: LOV included
Select equivalent: REF_CATEGORY_CODES.CATEGORY_DESC
Where equivalent:
Qualification: dimension
List of values: CATEG00R, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Category Activity Status
Type: Character
Description:
Select equivalent: REF_CATEGORY_CODES.ACTIVITY_STATUS
Where equivalent:
Qualification: dimension
List of values: ACTIV02B, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Course Service Hrs
Description:

Object: Student Id
Type: Character
Description:
Select equivalent: FSSAS.COURSE_SERVICE_HRS.STUDENT_ID
Where equivalent:
Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Year
 Type: Character
 Description:
 Select equivalent: FSSAS.COURSE_SERVICE_HRS.YEAR
 Where equivalent:
 Qualification: dimension
 List of values: YEAR002, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Term
 Type: Character
 Description:
 Select equivalent: FSSAS.COURSE_SERVICE_HRS.TERM
 Where equivalent:
 Qualification: dimension
 List of values: TERM003, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Course Number
 Type: Character
 Description:
 Select equivalent: FSSAS.COURSE_SERVICE_HRS.COURSE_NUMBER
 Where equivalent:
 Qualification: dimension
 List of values: COURS004, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Course Ind
 Type: Character
 Description:
 Select equivalent: FSSAS.COURSE_SERVICE_HRS.COURSE_IND
 Where equivalent:
 Qualification: dimension
 List of values: COURS005, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Section Number
 Type: Character
 Description:
 Select equivalent: FSSAS.COURSE_SERVICE_HRS.SECTION_NUMBER

Where equivalent:
 Qualification: dimension
 List of values: SECTI006, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Service Record Id**
 Type: Number
 Description:
 Select equivalent: FSSAS.COURSE_SERVICE_HRS.SERVICE_RECORD_ID
 Where equivalent:
 Qualification: dimension
 List of values: SERVI007, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Student Master
Description:	student demographic data from DWH

Object: **Student Id**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.STUDENT_ID
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Name**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.LAST_NAME
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **First Name**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.FIRST_NAME
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Middle Name**
Type: Character
Description:
Select equivalent: FSUDWH.STUDENT_MASTER.MIDDLE_NAME
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Suffix**
Type: Character
Description:
Select equivalent: FSUDWH.STUDENT_MASTER.SUFFIX
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Curr Class**
Type: Character
Description: LOV included
Select equivalent: FSUDWH.STUDENT_MASTER.CURR_CLASS
Where equivalent:
Qualification: dimension
List of values: CURR_02M, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Curr Div**
Type: Character
Description: LOV included
Select equivalent: FSUDWH.STUDENT_MASTER.CURR_DIV
Where equivalent:
Qualification: dimension
List of values: CURR_02N, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Curr Type Student**
Type: Character
Description: LOV included
Select equivalent: FSUDWH.STUDENT_MASTER.CURR_TYPE_STUDENT
Where equivalent:
Qualification: dimension
List of values: CURR_1QG, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Degree Sought**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.STUDENT_MASTER.DEGREE_SOUGHT
 Where equivalent:
 Qualification: dimension
 List of values: DEGRE1QH, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Race**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.STUDENT_MASTER.RACE
 Where equivalent:
 Qualification: dimension
 List of values: RACE1QE, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Gender**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.STUDENT_MASTER.GENDER
 Where equivalent:
 Qualification: dimension
 List of values: GENDE1QF, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Location Code**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.STUDENT_MASTER.LOCATION_CODE
 Where equivalent:
 Qualification: dimension
 List of values: LOCAT1QI, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Country**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.COUNTRY
 Where equivalent:
 Qualification: dimension

List of values: COUNT1QL, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: State

Type: Character

Description:

Select equivalent: FSUDWH.STUDENT_MASTER.STATE

Where equivalent:

Qualification: dimension

List of values: STATE1QM, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: County

Type: Character

Description:

Select equivalent: FSUDWH.STUDENT_MASTER.COUNTY

Where equivalent:

Qualification: dimension

List of values: COUNT1QN, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fsu Cumm GPA

Type: Number

Description:

Select equivalent: FSUDWH.STUDENT_MASTER.FSU_CUMM_GPA

Where equivalent:

Qualification: measure

Aggregate function: Average

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Last Year Enr

Type: Character

Description:

Select equivalent: FSUDWH.STUDENT_MASTER.LAST_YEAR_ENR

Where equivalent:

Qualification: dimension

List of values: LAST_1QP, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Last Term Enr

Type: Character

Description:

Select equivalent: FSUDWH.STUDENT_MASTER.LAST_TERM_ENR
 Where equivalent:
 Qualification: dimension
 List of values: LAST_1QQ, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Matriculation Year**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.MATRICULATION_YEAR
 Where equivalent:
 Qualification: dimension
 List of values: MATRI1QR, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Matriculation Term**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.MATRICULATION_TERM
 Where equivalent:
 Qualification: dimension
 List of values: MATRI1QS, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Matriculation Type**
 Type: Character
 Description:
 Select equivalent: FSUDWH.STUDENT_MASTER.MATRICULATION_TYPE
 Where equivalent:
 Qualification: dimension
 List of values: MATRI1QT, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Student Data Share**
 Description:

Object: **Year**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.YEAR
 Where equivalent:
 Qualification: dimension
 List of values: YEAR1QV, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Term**
 Type: Character
 Description: 1, 6 or 9
 Select equivalent: FSUDWH.DATA_SHARE.TERM
 Where equivalent:
 Qualification: dimension
 List of values: TERM1QW, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Student ID**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.SSN
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Name**
 Type: Character
 Description: LAST FIRST MIDDLE
 Select equivalent: FSUDWH.DATA_SHARE.NAME
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Lowcase Full Name**
 Type: Character
 Description: First Middle Last
 Select equivalent: FSUDWH.DATA_SHARE.LOWCASE_FULL_NAME
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Lowcase Last Name**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LOWCASE_LAST_NAME
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Lowcase First Name**

Type: Character

Description:

Select equivalent: FSUDWH.DATA_SHARE.LOWCASE_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Lowcase Midd Name**

Type: Character

Description:

Select equivalent: FSUDWH.DATA_SHARE.LOWCASE_MIDD_NAME

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Lowcase Name Sufx**

Type: Character

Description:

Select equivalent: FSUDWH.DATA_SHARE.LOWCASE_NAME_SUFx

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Local Street**

Type: Character

Description:

Select equivalent: FSUDWH.DATA_SHARE.LOCAL_STREET

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Local City**

Type: Character

Description:

Select equivalent: FSUDWH.DATA_SHARE.LOCAL_CITY

Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Local State**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LOCAL_STATE
 Where equivalent:
 Qualification: dimension
 List of values: LOCAL1T7, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Local Zip**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LOCAL_ZIP
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Local Phone**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LOCAL_PHONE
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Race**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.RACE
 Where equivalent:
 Qualification: dimension
 List of values: RACE1RV, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Race Desc**
 Type: Character
 Description: LOV included

Select equivalent: FSUDWH.DATA_SHARE.RACE_DESC

Where equivalent:

Qualification: dimension

List of values: RACE_1RW, editable, manual refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Gender**

Type: Character

Description:

Select equivalent: FSUDWH.DATA_SHARE.GENDER

Where equivalent:

Qualification: dimension

List of values: GENDE1RX, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Curr Type Student**

Type: Character

Description: LOV included

Select equivalent: FSUDWH.DATA_SHARE.CURR_TYPE_STUDENT

Where equivalent:

Qualification: dimension

List of values: CURR_1RU, editable, manual refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Curr Class**

Type: Character

Description: LOV included

Select equivalent: FSUDWH.DATA_SHARE.CURR_CLASS

Where equivalent:

Qualification: dimension

List of values: CURR_1R5, editable, manual refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Curr Class Desc**

Type: Character

Description: LOV included

Select equivalent: FSUDWH.DATA_SHARE.CURR_CLASS_DESC

Where equivalent:

Qualification: dimension

List of values: CURR_1R6, editable, manual refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Curr Div**

Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.CURR_DIV
 Where equivalent:
 Qualification: dimension
 List of values: CURR_1R7, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Curr Div Desc**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.CURR_DIV_DESC
 Where equivalent:
 Qualification: dimension
 List of values: CURR_1R8, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Curr Major**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.CURR_MAJOR
 Where equivalent:
 Qualification: dimension
 List of values: CURR_1R9, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Curr Major Desc**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.CURR_MAJOR_DESC
 Where equivalent:
 Qualification: dimension
 List of values: CURR_1RA, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Second Major**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.SECOND_MAJOR
 Where equivalent:
 Qualification: dimension
 List of values: CURR_1R9, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Second Major Desc**
 Type: Character
 Description: LOV included
 Select equivalent: FSUDWH.DATA_SHARE.SECOND_MAJOR_DESC
 Where equivalent:
 Qualification: dimension
 List of values: CURR_1RA, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **FSU Current Load**
 Type: Number
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.FSU_CURRENT_LOAD
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format
 Number
 Category = Number
 0

Object: **FSU Att Hours**
 Type: Number
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.FSU_ATT_HOURS
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format
 Number
 Category = Number
 0

Object: **FSU Cumm GPA**
 Type: Number
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.FSU_CUMM_GPA
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format
 Number
 Category = Number
 0.000

Object: **Term GPA**
Type: Number
Description: GPA for the term listed except for current term, that has the previous term GPA until the end of term and grades are posted.
Select equivalent: FSUDWH.DATA_SHARE.LAST_TERM_GPA
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format: Number
 Category = Number
 0.000

Object: **Total Att Hours**
Type: Number
Description:
Select equivalent: FSUDWH.DATA_SHARE.TOTAL_ATT_HOURS
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Total Degree Hours**
Type: Number
Description:
Select equivalent: FSUDWH.DATA_SHARE.TOTAL_DEGREE_HOURS
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format: Number
 Category = Number
 0

Object: **Highst Degree Held**
Type: Character
Description:
Select equivalent: FSUDWH.DATA_SHARE.HIGHST_DEGREE_HELD
Where equivalent:
Qualification: dimension
List of values: HIGHS1RO, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Highst Degree Year**
Type: Character

Description:
 Select equivalent: FSUDWH.DATA_SHARE.HIGHST_DEGREE_YEAR
 Where equivalent:
 Qualification: dimension
 List of values: HIGHS1RQ, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Highst Degree Mnth
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.HIGHST_DEGREE_MNTH
 Where equivalent:
 Qualification: dimension
 List of values: HIGHS1RP, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Doctoral Candidate
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.DOCTORAL_CANDIDATE
 Where equivalent:
 Qualification: dimension
 List of values: DOCTO1RR, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Last Year Enrolled
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LAST_YEAR_ENR
 Where equivalent:
 Qualification: dimension
 List of values: LAST_1RS, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Last Term Enrolled
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LAST_TERM_ENR
 Where equivalent:
 Qualification: dimension
 List of values: LAST_1RT, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Withdrawal Code**
Type: Character
Description:
Select equivalent: FSUDWH.DATA_SHARE.WITHDRAWAL_CODE
Where equivalent:
Qualification: dimension
List of values: WITHD1S2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Withdrawal Date**
Type: Character
Description:
Select equivalent: FSUDWH.DATA_SHARE.WITHDRAWAL_DATE
Where equivalent:
Qualification: dimension
List of values: WITHD1S3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Matriculation Year**
Type: Character
Description:
Select equivalent: FSUDWH.DATA_SHARE.MATRICULATION_YEAR
Where equivalent:
Qualification: dimension
List of values: MATRI1S4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Matriculation Term**
Type: Character
Description:
Select equivalent: FSUDWH.DATA_SHARE.MATRICULATION_TERM
Where equivalent:
Qualification: dimension
List of values: MATRI1S5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Matriculation Type**
Type: Character
Description:
Select equivalent: FSUDWH.DATA_SHARE.MATRICULATION_TYPE
Where equivalent:
Qualification: dimension
List of values: MATRI1S6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: [show](#)

Object: **Location Code**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.LOCATION_CODE
 Where equivalent:
 Qualification: dimension
 List of values: LOCAT1S7, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: [show](#)

Object: **Country**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.COUNTRY
 Where equivalent:
 Qualification: dimension
 List of values: COUNT1S8, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: [show](#)

Object: **Country Desc**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.COUNTRY_DESC
 Where equivalent:
 Qualification: dimension
 List of values: COUNT1S9, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: [show](#)

Object: **State**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.STATE
 Where equivalent:
 Qualification: dimension
 List of values: STATE1SA, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: [show](#)

Object: **County**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.COUNTY
 Where equivalent:
 Qualification: dimension
 List of values: COUNT1SB, editable, manual refresh, not exportable

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Degree Sought**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.DEGREE_SOUGHT
 Where equivalent:
 Qualification: dimension
 List of values: DEGRE1SE, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Cand Degree Grad Year**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.CNDG_GRAD_YEAR
 Where equivalent:
 Qualification: dimension
 List of values: CNDG_1SH, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Cand Degree Grad Term**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.CNDG_GRAD_TERM
 Where equivalent:
 Qualification: dimension
 List of values: CNDG_1SI, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Cand Degree Degree Type**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.CNDG_DEGREE_TYPE
 Where equivalent:
 Qualification: dimension
 List of values: CNDG_1SJ, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Cand Degree Grad Status**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.CNDG_GRAD_STATUS

Where equivalent:

Qualification: dimension
 List of values: CNDG_1SK, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Perm Street**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.PERM_STREET
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Perm City**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.PERM_CITY
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Perm State**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.PERM_STATE
 Where equivalent:
 Qualification: dimension
 List of values: PERM_1T2, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Perm Zip**
 Type: Character
 Description:
 Select equivalent: FSUDWH.DATA_SHARE.PERM_ZIP
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Perm Phone**
 Type: Character

Description:
Select equivalent: FSUDWH.DATA_SHARE.PERM_PHONE
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show