

Object Properties

Class:	Master
Description:	

Object:	Item
Type:	Character
Description:	
Select equivalent:	FSFIN.MASTER.ITEM
Where equivalent:	
Qualification:	dimension
List of values:	ITEM001, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Org L3 L4 L5
Type:	Character
Description:	LOV included
Select equivalent:	FSFIN.MASTER.ORGL3_L5
Where equivalent:	
Qualification:	dimension
List of values:	ORGL3002, editable, manual refresh, exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Fa Rpt Type
Type:	Number
Description:	
Select equivalent:	FSFIN.MASTER.FA_RPT_TYPE
Where equivalent:	
Qualification:	dimension
List of values:	FA_RP003, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Number
	0

Object:	Item Class
Type:	Character
Description:	
Select equivalent:	FSFIN.MASTER.ITEM_CLASS
Where equivalent:	
Qualification:	dimension
List of values:	ITEM_004, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Type: Number
 Description:
 Select equivalent: FSFIN.MASTER.AQUISITION_METHOD
 Where equivalent:
 Qualification: dimension
 List of values: AQUIS005, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format: Number
 Category = Number
 0

Object: **Location**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.LOCATION
 Where equivalent:
 Qualification: dimension
 List of values: LOCAT006, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Description**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.DESCRPTION
 Where equivalent:
 Qualification: dimension
 List of values: DESCR007, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Idle Code**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.IDLE_CODE
 Where equivalent:
 Qualification: dimension
 List of values: IDLE_008, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Condition**
 Type: Number
 Description:
 Select equivalent: FSFIN.MASTER.CONDITION
 Where equivalent:
 Qualification: dimension
 List of values: CONDI009, editable, manual refresh, not exportable

Object status: show
Format Number
Category = Number
0

Object: **General Ledger**
Type: Number
Description:
Select equivalent: FFSFIN.MASTER.GENERAL_LEDGER
Where equivalent:
Qualification: dimension
List of values: GENER00A, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
00000

Object: **Object**
Type: Number
Description:
Select equivalent: FFSFIN.MASTER.OBJECT
Where equivalent:
Qualification: dimension
List of values: OBJEC00B, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
000000

Object: **Primary Doc Num**
Type: Character
Description:
Select equivalent: FFSFIN.MASTER.PRIMARY_DOC_NUM
Where equivalent:
Qualification: dimension
List of values: PRIMA00C, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Secondary Doc Num**
Type: Character
Description:
Select equivalent: FFSFIN.MASTER.SECONDARY_DOC_NUM
Where equivalent:
Qualification: dimension
List of values: SECON00D, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object: **Other Doc Num**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.OTHER_DOC_NUM
Where equivalent:
Qualification: dimension
List of values: OTHER00E, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Vendor Num**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.VENDOR_NUM
Where equivalent:
Qualification: dimension
List of values: VEND00F, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **State Program**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.STATE_PROGRAM
Where equivalent:
Qualification: dimension
List of values: STATE00G, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format
Number
Category = Number
0

Object: **Contract Id**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.CONTRACT_ID
Where equivalent:
Qualification: dimension
List of values: CONTR00H, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grant Id**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.GRANT_ID

Qualification: dimension
List of values: GRANT00I, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Other Cost Accum**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.OTHER_COST_ACCUM
Where equivalent:
Qualification: dimension
List of values: OTHER00J, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Aquisition Cost**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.AQUISITION_COST
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Aquisition Date**
Type: Date
Description:
Select equivalent: FSFIN.MASTER.AQUISITION_DATE
Where equivalent:
Qualification: dimension
List of values: AQUIS00L, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Status Code**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.STATUS_CODE
Where equivalent:
Qualification: dimension
List of values: STATU00M, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fed Part Amt**

Description:
 Select equivalent: FFSFIN.MASTER.FED_PART_AMT
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **State Part Amt**
 Type: Number
 Description:
 Select equivalent: FFSFIN.MASTER.STATE_PART_AMT
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Chained Item Num**
 Type: Character
 Description:
 Select equivalent: FFSFIN.MASTER.CHAINED_ITEM_NUM
 Where equivalent:
 Qualification: dimension
 List of values: CHAIN00P, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Manu Builder**
 Type: Character
 Description:
 Select equivalent: FFSFIN.MASTER.MANU_BUILDER
 Where equivalent:
 Qualification: dimension
 List of values: MANU_00Q, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Depreciation Type**
 Type: Number
 Description:
 Select equivalent: FFSFIN.MASTER.DEPRECIATION_TYPE
 Where equivalent:
 Qualification: dimension
 List of values: DEPRE00R, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort

Category = Number

0

Object: **Mon Depr Computed**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.MON_DEPR_COMPUTED
Where equivalent:
Qualification: dimension
List of values: MON_D00S, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Life Units Type**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.LIFE_UNITS_TYPE
Where equivalent:
Qualification: dimension
List of values: LIFE_00T, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Exp Life Units**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.EXP_LIFE_UNITS
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: EXP_L00U, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Rem Life Units**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.REM_LIFE_UNITS
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: REM_L00V, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Est Salvage Val**
Type: Number
Description:

Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: EST_S00W, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Use Allowance**
 Type: Number
 Description:
 Select equivalent: FSFIN.MASTER.USE_ALLOWANCE
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: USE_A00X, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Serial Number**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.SERIAL_NUMBER
 Where equivalent:
 Qualification: dimension
 List of values: SERIA00Y, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Vehicle Title Num**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.VEHICLE_TITLE_NUM
 Where equivalent:
 Qualification: dimension
 List of values: VEHIC010, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Org Item Add Date**
 Type: Date
 Description:
 Select equivalent: FSFIN.MASTER.ORG_ITEM_ADD_DATE
 Where equivalent:
 Qualification: dimension
 List of values: ORG_I011, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Last Update Date**
Type: Date
Description:
Select equivalent: FSFIN.MASTER.LAST_UPDATE_DATE
Where equivalent:
Qualification: dimension
List of values: LAST_012, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Stop Date**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.DEPR_STOP_DATE
Where equivalent:
Qualification: dimension
List of values: DEPR_013, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Ytd Amt**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.DEPR_YTD_AMT
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: DEPR_014, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Ltd Amt**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.DEPR_LTD_AMT
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: DEPR_015, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Period Ending Date**
Type: Date
Description:
Select equivalent: FSFIN.MASTER.PERIOD_ENDING_DATE
Where equivalent:
Qualification: dimension
List of values: PERIO016, editable, manual refresh, not exportable

Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Cost**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.DEPR_COST
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Mon Perc**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.DEPR_MON_PERC
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: DEPR_018, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Mon Amt**
Type: Number
Description:
Select equivalent: FSFIN.MASTER.DEPR_MON_AMT
Where equivalent:
Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Date**
Type: Date
Description:
Select equivalent: FSFIN.MASTER.DEPR_DATE
Where equivalent:
Qualification: dimension
List of values: DEPR_01A, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Depr Adj Date**
Type: Date
Description:

Where equivalent:
 Qualification: dimension
 List of values: DEPR_01B, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Amt To Be Depr**
 Type: Number
 Description:
 Select equivalent: FSFIN.MASTER.AMT_TO_BE_DEPR
 Where equivalent:
 Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Disposition Auth**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.DISPOSITION_AUTH
 Where equivalent:
 Qualification: dimension
 List of values: DISPO01D, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Disposition Date**
 Type: Date
 Description:
 Select equivalent: FSFIN.MASTER.DISPOSITION_DATE
 Where equivalent:
 Qualification: dimension
 List of values: DISPO01E, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Disposition Doc**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.DISPOSITION_DOC
 Where equivalent:
 Qualification: dimension
 List of values: DISPO01F, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Type: Number
 Description:
 Select equivalent: FSFIN.MASTER.CURRENT_USAGE
 Where equivalent:
 Qualification: dimension
 List of values: CURRE01G, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Agency Unique Code**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.AGENCY_UNIQUE_CODE
 Where equivalent:
 Qualification: dimension
 List of values: AGENC01H, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Grant Year**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.GRANT_YEAR
 Where equivalent:
 Qualification: dimension
 List of values: GRANT01I, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Contract Year**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.CONTRACT_YEAR
 Where equivalent:
 Qualification: dimension
 List of values: CONTR01J, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category**
 Type: Number
 Description:
 Select equivalent: FSFIN.MASTER.CATEGORY
 Where equivalent:
 Qualification: dimension
 List of values: CATEG01K, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Year Indicator**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.YEAR_INDICATOR
Where equivalent:
Qualification: dimension
List of values: YEAR_01L, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Date Property Rec**
Type: Date
Description:
Select equivalent: FSFIN.MASTER.DATE_PROPERTY_REC
Where equivalent:
Qualification: dimension
List of values: DATE_01M, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Property Unique**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.PROPERTY_UNIQUE
Where equivalent:
Qualification: dimension
List of values: PROPE01N, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **State Wide Doc**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.STATE_WIDE_DOC
Where equivalent:
Qualification: dimension
List of values: STATE01O, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Org Fund Source**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.ORG_FUND_SOURCE
Where equivalent:
Qualification: dimension
List of values: ORG_F01P, editable, manual refresh, not exportable
Security access level: 0

Object: **Vendor Inv Num**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.VENDOR_INV_NUM
Where equivalent:
Qualification: dimension
List of values: VENDO01Q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Current Use Fund**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.CURRENT_USE_FUND
Where equivalent:
Qualification: dimension
List of values: CURRE01R, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Property Inv Date**
Type: Date
Description:
Select equivalent: FSFIN.MASTER.PROPERTY_INV_DATE
Where equivalent:
Qualification: dimension
List of values: PROPE01S, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Project Id**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.PROJECT_ID
Where equivalent:
Qualification: dimension
List of values: PROJE01T, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **User Comments**
Type: Character
Description:
Select equivalent: FSFIN.MASTER.USER_COMMENTS
Where equivalent:
Qualification: dimension
List of values: USER 01U, editable, manual refresh, not exportable

Can be used: in result, in condition, in sort
 Object status: show

Object: **Keyexpl Location**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.KEYEXPL_LOCATION
 Where equivalent:
 Qualification: dimension
 List of values: KEYEX01V, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Keyexpl Item**
 Type: Character
 Description:
 Select equivalent: FSFIN.MASTER.KEYEXPL_ITEM
 Where equivalent:
 Qualification: dimension
 List of values: KEYEX01W, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **History**
 Description:

Object: **Item**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.ITEM
 Where equivalent:
 Qualification: dimension
 List of values: ITEM01X, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Orgl3 L5**
 Type: Character
 Description: LOV included
 Select equivalent: FSFIN.HISTORY.ORGL3_L5
 Where equivalent:
 Qualification: dimension
 List of values: ORGL3002, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Rpt Type**
 Type: Number
 Description:

Where equivalent:
Qualification: dimension
List of values: RPT_T020, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tr Type**
Type: Character
Description:
Select equivalent: FSFIN.HISTORY.TR_TYPE
Where equivalent:
Qualification: dimension
List of values: TR_TY021, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Prop Doc Num**
Type: Character
Description:
Select equivalent: FSFIN.HISTORY.PROP_DOC_NUM
Where equivalent:
Qualification: dimension
List of values: PROP_022, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Add Date**
Type: Date
Description:
Select equivalent: FSFIN.HISTORY.ADD_DATE
Where equivalent:
Qualification: dimension
List of values: ADD_D023, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Add Time**
Type: Number
Description:
Select equivalent: FSFIN.HISTORY.ADD_TIME
Where equivalent:
Qualification: dimension
List of values: ADD_T024, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Userid**

Description:
Select equivalent: FSFIN.HISTORY.USERID
Where equivalent:
Qualification: dimension
List of values: USERI025, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Pc Fund**
Type: Character
Description:
Select equivalent: FSFIN.HISTORY.PC_FUND
Where equivalent:
Qualification: dimension
List of values: PC_FU026, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Category**
Type: Number
Description:
Select equivalent: FSFIN.HISTORY.CATEGORY
Where equivalent:
Qualification: dimension
List of values: CATEG027, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Year**
Type: Number
Description:
Select equivalent: FSFIN.HISTORY.YEAR
Where equivalent:
Qualification: dimension
List of values: YEAR028, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Agency Unique**
Type: Character
Description:
Select equivalent: FSFIN.HISTORY.AGENCY_UNIQUE
Where equivalent:
Qualification: dimension
List of values: AGENC029, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Type: Number
Description:
Select equivalent: FSFIN.HISTORY.GENERAL_LEDGER
Where equivalent:
Qualification: dimension
List of values: GENER02A, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Object**
Type: Number
Description:
Select equivalent: FSFIN.HISTORY.OBJECT
Where equivalent:
Qualification: dimension
List of values: OBJEC02B, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **State Pgm**
Type: Number
Description:
Select equivalent: FSFIN.HISTORY.STATE_PGM
Where equivalent:
Qualification: dimension
List of values: STATE02C, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grant**
Type: Character
Description:
Select equivalent: FSFIN.HISTORY.GRANT
Where equivalent:
Qualification: dimension
List of values: GRANT02D, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Contract**
Type: Character
Description:
Select equivalent: FSFIN.HISTORY.CONTRACT
Where equivalent:
Qualification: dimension
List of values: CONTR02E, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Contract Yr**
Type: Character
Description:
Select equivalent: FFSFIN.HISTORY.CONTRACT_YR
Where equivalent:
Qualification: dimension
List of values: CONTR02F, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Other Cost Accum**
Type: Character
Description:
Select equivalent: FFSFIN.HISTORY.OTHER_COST_ACCUM
Where equivalent:
Qualification: dimension
List of values: OTHER02G, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Project**
Type: Character
Description:
Select equivalent: FFSFIN.HISTORY.PROJECT
Where equivalent:
Qualification: dimension
List of values: PROJE02H, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Amount**
Type: Number
Description:
Select equivalent: FFSFIN.HISTORY.AMOUNT
Where equivalent:
Qualification: dimension
List of values: AMOUN02I, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Vendor Num**
Type: Character
Description:
Select equivalent: FFSFIN.HISTORY.VENDOR_NUM
Where equivalent:
Qualification: dimension
List of values: VEND002J, editable, manual refresh, not exportable
Security access level: 0

Object status: show

Object: **Vendor Name**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.VENDOR_NAME
 Where equivalent:
 Qualification: dimension
 List of values: VENDO02K, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Secondary Doc**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.SECONDARY_DOC
 Where equivalent:
 Qualification: dimension
 List of values: SECON02L, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Description**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.DESCRPTION
 Where equivalent:
 Qualification: dimension
 List of values: DESCR02M, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Other Doc**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.OTHER_DOC
 Where equivalent:
 Qualification: dimension
 List of values: OTHER02N, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **State Wide Doc**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.STATE_WIDE_DOC
 Where equivalent:
 Qualification: dimension

Can be used: in result, in condition, in sort
 Object status: show

Object: **Certified Fwd Ind**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.CERTIFIED_FWD_IND
 Where equivalent:
 Qualification: dimension
 List of values: CERTI02P, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **User Comments**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.USER_COMMENTS
 Where equivalent:
 Qualification: dimension
 List of values: USER_02Q, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Keyexpl Location**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.KEYEXPL_LOCATION
 Where equivalent:
 Qualification: dimension
 List of values: KEYEX02R, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Keyexpl Item**
 Type: Character
 Description:
 Select equivalent: FSFIN.HISTORY.KEYEXPL_ITEM
 Where equivalent:
 Qualification: dimension
 List of values: KEYEX02S, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Purfund**
 Description:

Object: **Item**
 Type: Character
 Description:

Where equivalent:
 Qualification: dimension
 List of values: ITEM02T, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Fund**
 Type: Character
 Description:
 Select equivalent: FSFIN.PURFUND.FUND
 Where equivalent:
 Qualification: dimension
 List of values: FUND02U, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Systems Tables
Description:	These tables are for systems use only

No objects

Class:	Profile
Description:	

Object: **Userid**
 Type: Character
 Description:
 Select equivalent: FSFIN.PROFILE.USERID
 Where equivalent:
 Qualification: dimension
 List of values: USERI04F, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Password**
 Type: Character
 Description:
 Select equivalent: FSFIN.PROFILE.PASSWORD
 Where equivalent:
 Qualification: dimension
 List of values: PASSW04G, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **First Name**
 Type: Character
 Description:
 Select equivalent: FSFIN.PROFILE.FIRST_NAME
 Where equivalent:
 Qualification: dimension

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Last Name**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.LAST_NAME
Where equivalent:
Qualification: dimension
List of values: LAST_04I, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Retrans Auth Pc**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.RETRANS_AUTH_PC
Where equivalent:
Qualification: dimension
List of values: RETRA04J, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Location Pc**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.UPD_LOCATION_PC
Where equivalent:
Qualification: dimension
List of values: UPD_L04K, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Item Pc**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.UPD_ITEM_PC
Where equivalent:
Qualification: dimension
List of values: UPD_I04L, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Descrip Pc**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.UPD_DESCRIP_PC

Qualification: dimension
List of values: UPD_D04M, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Serialnum Pc**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.UPD_SERIALNUM_PC
Where equivalent:
Qualification: dimension
List of values: UPD_S04N, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Condition Pc**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.UPD_CONDITION_PC
Where equivalent:
Qualification: dimension
List of values: UPD_C04O, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Usercomms Pc**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.UPD_USERCOMMS_PC
Where equivalent:
Qualification: dimension
List of values: UPD_U04P, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Add User Pc**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.ADD_USER_PC
Where equivalent:
Qualification: dimension
List of values: ADD_U04Q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Del User Pc**
Type: Character
Description:

Where equivalent:
Qualification: dimension
List of values: DEL_U04R, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Chg User Pc**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.CHG_USER_PC
Where equivalent:
Qualification: dimension
List of values: CHG_U04S, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Car Auth Pc**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.CAR_AUTH_PC
Where equivalent:
Qualification: dimension
List of values: CAR_A04T, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Key Location Col**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.KEY_LOCATION_COL
Where equivalent:
Qualification: dimension
List of values: KEY_L04U, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Key Item Col**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.KEY_ITEM_COL
Where equivalent:
Qualification: dimension
List of values: KEY_I04V, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Und Condition Col**

Description:
Select equivalent: FFSFIN.PROFILE.UPD_CONDITION_COL
Where equivalent:
Qualification: dimension
List of values: UPD_C04W, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Descrip Col**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.UPD_DESCRIP_COL
Where equivalent:
Qualification: dimension
List of values: UPD_D04X, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upd Manu Col**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.UPD_MANU_COL
Where equivalent:
Qualification: dimension
List of values: UPD_M04Y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Item Upd Scr Col**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.ITEM_UPD_SCR_COL
Where equivalent:
Qualification: dimension
List of values: ITEM_050, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disp Descrip Col**
Type: Character
Description:
Select equivalent: FFSFIN.PROFILE.DISP_DESCRIP_COL
Where equivalent:
Qualification: dimension
List of values: DISP_051, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disp Manu Col**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.DISP_MANU_COL
Where equivalent:
Qualification: dimension
List of values: DISP_052, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disp Condition Col**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.DISP_CONDITION_COL
Where equivalent:
Qualification: dimension
List of values: DISP_053, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disp Date**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.DISP_DATE
Where equivalent:
Qualification: dimension
List of values: DISP_054, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disp User**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.DISP_USER
Where equivalent:
Qualification: dimension
List of values: DISP_055, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Disp Ucomms**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.DISP_UCOMMS
Where equivalent:
Qualification: dimension
List of values: DISP_056, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object: **County Col**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.COUNTY_COL
Where equivalent:
Qualification: dimension
List of values: COUNT057, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **City Col**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.CITY_COL
Where equivalent:
Qualification: dimension
List of values: CITY_058, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Olo**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.OLO
Where equivalent:
Qualification: dimension
List of values: OLO059, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Scan Type**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.SCAN_TYPE
Where equivalent:
Qualification: dimension
List of values: SCAN_05A, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Delay Time**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.DELAY_TIME
Where equivalent:
Qualification: dimension
List of values: DELAY05B, editable, manual refresh, not exportable
Security access level: n

Object status: show

Object: **Volume**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.VOLUME
Where equivalent:
Qualification: dimension
List of values: VOLUM05C, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modem Drv**
Type: Character
Description:
Select equivalent: FSFIN.PROFILE.MODEM_DRV
Where equivalent:
Qualification: dimension
List of values: MODEM05D, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modem Baud**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.MODEM_BAUD
Where equivalent:
Qualification: dimension
List of values: MODEM05E, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modem Protocol**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.MODEM_PROTOCOL
Where equivalent:
Qualification: dimension
List of values: MODEM05F, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Del Upl Erro Pc**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.DEL_UPL_ERRO_PC
Where equivalent:
Qualification: dimension

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **System Auth Pc**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.SYSTEM_AUTH_PC
Where equivalent:
Qualification: dimension
List of values: SYSTE05H, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Purge Recs Db2**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.PURGE_RECS_DB2
Where equivalent:
Qualification: dimension
List of values: PURGE05I, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Purge Recs Pc**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.PURGE_RECS_PC
Where equivalent:
Qualification: dimension
List of values: PURGE05J, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Run Rpts Pc**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.RUN_RPTS_PC
Where equivalent:
Qualification: dimension
List of values: RUN_R05K, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Upl To Db2**
Type: Number
Description:
Select equivalent: FSFIN.PROFILE.UPL_TO_DB2

Qualification: dimension
 List of values: UPL_T05L, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Date Added
 Type: Date
 Description:
 Select equivalent: FSFIN.PROFILE.DATE_ADDED
 Where equivalent:
 Qualification: dimension
 List of values: DATE_05M, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Date Changed
 Type: Date
 Description:
 Select equivalent: FSFIN.PROFILE.DATE_CHANGED
 Where equivalent:
 Qualification: dimension
 List of values: DATE_05N, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: Upload
 Description:

Object: Item Number
 Type: Character
 Description:
 Select equivalent: FSFIN.UPLOAD.ITEM_NUMBER
 Where equivalent:
 Qualification: dimension
 List of values: ITEM_034, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sequence
 Type: Number
 Description:
 Select equivalent: FSFIN.UPLOAD.SEQUENCE
 Where equivalent:
 Qualification: dimension
 List of values: SEQUE035, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Description:
Select equivalent: FSFIN.UPLOAD.USERID
Where equivalent:
Qualification: dimension
List of values: USERI036, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **County**
Type: Character
Description:
Select equivalent: FSFIN.UPLOAD.COUNTY
Where equivalent:
Qualification: dimension
List of values: COUNT037, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **City**
Type: Character
Description:
Select equivalent: FSFIN.UPLOAD.CITY
Where equivalent:
Qualification: dimension
List of values: CITY038, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Location**
Type: Character
Description:
Select equivalent: FSFIN.UPLOAD.LOCATION
Where equivalent:
Qualification: dimension
List of values: LOCAT039, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Date Inventoried**
Type: Character
Description:
Select equivalent: FSFIN.UPLOAD.DATE_INVENTORIED
Where equivalent:
Qualification: dimension
List of values: DATE_03A, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Date Uploaded**
Type: Date
Description:
Select equivalent: FFSFIN.UPLOAD.DATE_UPLOADED
Where equivalent:
Qualification: dimension
List of values: DATE_03B, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Condition**
Type: Character
Description:
Select equivalent: FFSFIN.UPLOAD.CONDITION
Where equivalent:
Qualification: dimension
List of values: CONDI03C, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Serialnum**
Type: Character
Description:
Select equivalent: FFSFIN.UPLOAD.SERIALNUM
Where equivalent:
Qualification: dimension
List of values: SERIA03D, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Description**
Type: Character
Description:
Select equivalent: FFSFIN.UPLOAD.DESCRPTION
Where equivalent:
Qualification: dimension
List of values: DESCR03E, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **User Comments**
Type: Character
Description:
Select equivalent: FFSFIN.UPLOAD.USER_COMMENTS
Where equivalent:
Qualification: dimension
List of values: USER_03F, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object: **Key Expl Location**
 Type: Character
 Description:
 Select equivalent: FSFIN.UPLOAD.KEY_EXPL_LOCATION
 Where equivalent:
 Qualification: dimension
 List of values: KEY_E03G, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Key Expl Item**
 Type: Character
 Description:
 Select equivalent: FSFIN.UPLOAD.KEY_EXPL_ITEM
 Where equivalent:
 Qualification: dimension
 List of values: KEY_E03H, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Upload Log
Description:	

Object: **Date Uploaded**
 Type: Date
 Description:
 Select equivalent: FSFIN.LOG.DATE_UPLOADED
 Where equivalent:
 Qualification: dimension
 List of values: DATE_03I, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Item Number**
 Type: Character
 Description:
 Select equivalent: FSFIN.LOG.ITEM_NUMBER
 Where equivalent:
 Qualification: dimension
 List of values: ITEM_03J, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Sequence**
 Type: Number
 Description:
 Select equivalent: FSFIN.LOG.SEQUENCE
 Where equivalent:

List of values: SEQUE03K, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Userid**
Type: Character
Description:
Select equivalent: FSFIN.LOG.USERID
Where equivalent:
Qualification: dimension
List of values: USERI03L, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **County**
Type: Character
Description:
Select equivalent: FSFIN.LOG.COUNTY
Where equivalent:
Qualification: dimension
List of values: COUNT03M, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **City**
Type: Character
Description:
Select equivalent: FSFIN.LOG.CITY
Where equivalent:
Qualification: dimension
List of values: CITY03N, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Location**
Type: Character
Description:
Select equivalent: FSFIN.LOG.LOCATION
Where equivalent:
Qualification: dimension
List of values: LOCAT03O, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Date Inventoried**
Type: Character
Description:
Select equivalent: FSFIN.LOG.DATE_INVENTORIED

Qualification: dimension
 List of values: DATE_03P, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Status
 Type: Number
 Description:
 Select equivalent: FFSFIN.LOG.STATUS
 Where equivalent:
 Qualification: dimension
 List of values: STATU03Q, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Status Date
 Type: Date
 Description:
 Select equivalent: FFSFIN.LOG.STATUS_DATE
 Where equivalent:
 Qualification: dimension
 List of values: STATU03R, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Condition
 Type: Character
 Description:
 Select equivalent: FFSFIN.LOG.CONDITION
 Where equivalent:
 Qualification: dimension
 List of values: CONDI03S, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Serialnum
 Type: Character
 Description:
 Select equivalent: FFSFIN.LOG.SERIALNUM
 Where equivalent:
 Qualification: dimension
 List of values: SERIA03T, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Description
 Type: Character

Select equivalent: FSFIN.LOG.DESCRPTION
Where equivalent:
Qualification: dimension
List of values: DESCR03U, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **User Comments**
Type: Character
Description:
Select equivalent: FSFIN.LOG.USER_COMMENTS
Where equivalent:
Qualification: dimension
List of values: USER_03V, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Key Expl Location**
Type: Character
Description:
Select equivalent: FSFIN.LOG.KEY_EXPL_LOCATION
Where equivalent:
Qualification: dimension
List of values: KEY_E03W, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Key Expl Item**
Type: Character
Description:
Select equivalent: FSFIN.LOG.KEY_EXPL_ITEM
Where equivalent:
Qualification: dimension
List of values: KEY_E03X, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Warning Message**
Type: Character
Description:
Select equivalent: FSFIN.LOG.WARNING_MESSAGE
Where equivalent:
Qualification: dimension
List of values: WARNI03Y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Type: Number
 Description:
 Select equivalent: FFSFIN.LOG.UPLOAD_WARNINGS
 Where equivalent:
 Qualification: dimension
 List of values: UPLOA040, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **Upload Error**
 Description:

Object: **Userid**
 Type: Character
 Description:
 Select equivalent: FFSFIN.ERROR.USERID
 Where equivalent:
 Qualification: dimension
 List of values: USERI041, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Date Curr**
 Type: Date
 Description:
 Select equivalent: FFSFIN.ERROR.DATE_CURR
 Where equivalent:
 Qualification: dimension
 List of values: DATE_042, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Item Number**
 Type: Character
 Description:
 Select equivalent: FFSFIN.ERROR.ITEM_NUMBER
 Where equivalent:
 Qualification: dimension
 List of values: ITEM_043, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Sequence**
 Type: Number
 Description:
 Select equivalent: FFSFIN.ERROR.SEQUENCE
 Where equivalent:
 Qualification: dimension
 List of values: SEQUE044, editable, manual refresh, not exportable
 Security access level: 0

Object: **County**
Type: Character
Description:
Select equivalent: FSFIN.ERROR.COUNTY
Where equivalent:
Qualification: dimension
List of values: COUNT045, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **City**
Type: Character
Description:
Select equivalent: FSFIN.ERROR.CITY
Where equivalent:
Qualification: dimension
List of values: CITY046, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Location**
Type: Character
Description:
Select equivalent: FSFIN.ERROR.LOCATION
Where equivalent:
Qualification: dimension
List of values: LOCAT047, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Serialnum**
Type: Character
Description:
Select equivalent: FSFIN.ERROR.SERIALNUM
Where equivalent:
Qualification: dimension
List of values: SERIA048, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Description**
Type: Character
Description:
Select equivalent: FSFIN.ERROR.DESCRPTION
Where equivalent:
Qualification: dimension
List of values: DFSCR049, editable, manual refresh, not exportable

Can be used: in result, in condition, in sort
 Object status: show

Object: **Error Date**
 Type: Date
 Description:
 Select equivalent: FSFIN.ERROR.ERROR_DATE
 Where equivalent:
 Qualification: dimension
 List of values: ERROR04A, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Date Inventoried**
 Type: Character
 Description:
 Select equivalent: FSFIN.ERROR.DATE_INVENTORIED
 Where equivalent:
 Qualification: dimension
 List of values: DATE_04B, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Condition**
 Type: Character
 Description:
 Select equivalent: FSFIN.ERROR.CONDITION
 Where equivalent:
 Qualification: dimension
 List of values: CONDI04C, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: **System**
 Description:

Object: **Type**
 Type: Number
 Description:
 Select equivalent: FSFIN.SYSTEM.TYPE
 Where equivalent:
 Qualification: dimension
 List of values: TYPE04D, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Value**
 Type: Character
 Description:

Where equivalent:
 Qualification: dimension
 List of values: VALUE04E, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Title
Description:	

Object: **Type**
 Type: Character
 Description:
 Select equivalent: FSFIN.TITLE.TYPE
 Where equivalent:
 Qualification: dimension
 List of values: TYPE02V, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Field Value**
 Type: Character
 Description:
 Select equivalent: FSFIN.TITLE.FIELD_VALUE
 Where equivalent:
 Qualification: dimension
 List of values: FIELD02W, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Input Source**
 Type: Character
 Description:
 Select equivalent: FSFIN.TITLE.INPUT_SOURCE
 Where equivalent:
 Qualification: dimension
 List of values: INPUT02X, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Status**
 Type: Character
 Description:
 Select equivalent: FSFIN.TITLE.STATUS
 Where equivalent:
 Qualification: dimension
 List of values: STATU02Y, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object:	Descr Short
Type:	Character
Description:	
Select equivalent:	FSFIN.TITLE.DESCR_SHORT
Where equivalent:	
Qualification:	dimension
List of values:	DESCR030, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Descr Long
Type:	Character
Description:	
Select equivalent:	FSFIN.TITLE.DESCR_LONG
Where equivalent:	
Qualification:	dimension
List of values:	DESCR031, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Add Date
Type:	Date
Description:	
Select equivalent:	FSFIN.TITLE.ADD_DATE
Where equivalent:	
Qualification:	dimension
List of values:	ADD_D032, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Upd Date
Type:	Date
Description:	
Select equivalent:	FSFIN.TITLE.UPD_DATE
Where equivalent:	
Qualification:	dimension
List of values:	UPD_D033, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show